

Journal of **MOLECULAR BIOLOGY**

EDITOR-IN-CHIEF

J. C. KENDREW

ASSISTANT EDITOR

S. BRENNER

EDITORIAL BOARD

C. R. Cantor
P. Chambon
W. W. Franke
M. Gellert
G. A. Gilbert
M. Gottesman
I. Herskowitz
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
J. H. Miller
M. F. Moody
K. Simons

VOLUME 176

15 June to 15 July 1984

PERIODICAL

QH

301

J73

LIBRARY



ACADEMIC PRESS

London New York San Francisco

Copyright © 1984, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 176

NUMBER 1, 15 JUNE 1984

CHENG, J.-F., PRINTZ, R., CALLAGHAN, T., SHUEY, D. and HARDISON, R. C., The Rabbit C Family of Short, Interspersed Repeats. Nucleotide Sequence Determination and Transcriptional Analysis	1
JORCANO, J. L., MAGIN, T. M. and FRANKE, W. W., Cell Type-specific Expression of Bovine Keratin Genes as Demonstrated by the Use of Complementary DNA Clones	21
SCHMEISSNER, U., MCKENNEY, K., ROSENBERG, M. and COURT, D., Removal of a Terminator Structure by RNA Processing Regulates <i>int</i> Gene Expression	39
BENTLEY, G. A., LEWIT-BENTLEY, A., FINCH, J. T., PODJARNY, A. D. and ROTH, M., Crystal Structure of the Nucleosome Core Particle at 16 Å Resolution	55
AUSIO, J., SEGER, D. and EISENBERG, H., Nucleosome Core Particle Stability and Conformational Change. Effect of Temperature, Particle and NaCl Concentrations, and Crosslinking of Histone H3 Sulphydryl Groups	77
<i>Appendix:</i>	102
ZHANG, X.-Y. and HÖRZ, W., Nucleosomes are Positioned on Mouse Satellite DNA in Multiple Highly Specific Frames that are Correlated with a Diverged Subrepeat of Nine Base-pairs	105
BÖCK, H., ABLER, S., ZHANG, X.-Y., FRITTON, H. and IGO-KEMENES, T., Positioning of Nucleosomes in Satellite I-containing Chromatin of Rat Liver	131
LETTERS TO THE EDITOR	
HUGHES, P., SQUALI-HOUSSAINI, F.-Z., FORTERRE, P. and KOHIYAMA, M., <i>In Vitro</i> Replication of a <i>dam</i> Methylated and Non-methylated <i>ori-C</i> Plasmid	155
CECCARINI, C., LORENZONI, P. and ATKINSON, P. H., Determination of the Structure of Ovalbumin Glycopeptide AC-B by ¹ H Nuclear Magnetic Resonance Spectroscopy at 500 MHz	161

NUMBER 2, 25 JUNE 1984

YANG, J. K., MASTERS, J. N. and ATTARDI, G., Human Dihydrofolate Reductase Gene Organization. Extensive Conservation of the G + C-rich 5' Non-coding Sequence and Strong Intron Size Divergence from Homologous Mammalian Genes	169
PECH, M., JAENICHEN, H.-R., POHLENZ, H.-D., NEUMAIER, P. S., KLOBECK, H.-G. and ZACHAU, H. G., Organization and Evolution of a Gene Cluster for Human Immunoglobulin Variable Regions of the Kappa Type	189
BON, F., LEBRUN, E., GOMEL, J., VAN RAPENBUSCH, R., CARTAUD, J., POPOT, J.-L. and CHANGEUX, J.-P., Image Analysis of the Heavy Form of the Acetylcholine Receptor from <i>Torpedo marmorata</i>	205
SUGINO, A. and DRAKE, J. W., Modulation of Mutation Rates in Bacteriophage T4 by a Base-pair Change a Dozen Nucleotides Removed	239
DUBIN, D. T., HSUCHEN, C.-C., CLEAVES, G. R. and TIMKO, K. D., Sequence and Structure of a Serine Transfer RNA with GCU Anticodon from Mosquito Mitochondria	251
EIKENBERRY, E. F., CHILDS, B., SHEREN, S. B., PARRY, D. A. D., CRAIG, A. S. and BRODSKY, B., Crystalline Fibril Structure of Type II Collagen in Lamprey Notochord Sheath	261
JOYCE, G. F., INOUE, T. and ORGEL, L. E., Non-enzymatic Template-directed Synthesis on RNA Random Copolymers. Poly(C, U) Templates	279

NUMBER 3, 5 JULY 1984

ABRAHAM, J., NASMYTH, K. A., STRATHERN, J. N., KLAR, A. J. S. and HICKS, J. B., Regulation of Mating-type Information in Yeast. Negative Control Requiring Sequences Both 5' and 3' to the Regulated Region	307
STEPHENS, M. A., LANG, N., SANDMAN, K. and LOSICK, R., A Promoter whose Utilization is Temporally Regulated during Sporulation in <i>Bacillus subtilis</i>	333
ASAKURA, S. and HONDA, H., Two-state Model for Bacterial Chemoreceptor Proteins. The Role of Multiple Methylation	349
ZARLING, D. A., ARNDT-JOVIN, D. J., ROBERT-NICOUD, M., MCINTOSH, L. P., THOMAE, R. and JOVIN, T. M., Immunoglobulin Recognition of Synthetic and Natural Left-handed Z DNA Conformations and Sequences	369

LETTERS TO THE EDITOR

TREGEAR, R. T., HOYLAND, J. and SAYERS, A. J., The Repeat Distance of Myosin in the Thick Filaments of Various Muscles	417
ST CHARLES, R., CIAGLOWSKI, R. E., WALZ, D. and EDWARDS, B. F. P., X-ray Diffraction Analysis of Crystals of Bovine Platelet Factor 4	421
MENEGATTI, E., GUARNERI, M., BOLOGNESI, M., ASCENZI, P. and AMICONI, G., Binding of the Bovine Basic Pancreatic Trypsin Inhibitor (Kunitz) to Human Urinary Kallikrein and to Porcine Pancreatic β -Kallikreins A and B	425
GREEN, P. J. and INOUE, M., Roles of the 5' Leader Region of the <i>ompA</i> mRNA	431

NUMBER 4, 15 JULY 1984

OKA, A., SASAKI, H., SUGIMOTO, K. and TAKANAMI, M., Sequence Organization of Replication Origin of the <i>Escherichia coli</i> K-12 Chromosome	443
ALAM, M. and OESTERHELT, D., Morphology, Function and Isolation of Halobacterial Flagella	459
ELLIOTT, A. and BENNETT, P. M., Molecular Organization of Paramyosin in the Core of Molluscan Thick Filaments	477
ROE, J.-H., BURGESS, R. R. and RECORD, M. T. JR., Kinetics and Mechanism of the Interaction of <i>Escherichia coli</i> with the λP_R Promoter	495
KIHARA, H., BARMAN, T. E., JONES, P. T. and MOODY, M. F., Kinetics of the Allosteric Transition of Aspartate Transcarbamylase. Chemical Quench Studies	523
DREW, H. R., Structural Specificities of Five Commonly Used DNA Nucleases	535

LETTER TO THE EDITOR

VAN GUNSTEREN, W. F. and BERENDSEN, H. J. C., Computer Simulation as a Tool for Tracing the Conformational Differences between Proteins in Solution and in the Crystalline State	559
--	-----

Index to Volume 176

- ABLER, S. (see also BÖCK, H.), 131
- ABRAHAM, J., NASMYTH, K. A., STRATHERN, J. N., KLAR, A. J. S. & HICKS, J. B., Regulation of mating-type information in yeast. Negative control requiring sequences both 5' and 3' to the regulated region, 307
- Acetylcholine receptor from *Torpedo marmorata*, image analysis of the heavy form, 205
- ALAM, M. & OESTERHELT, D., Morphology, function and isolation of halobacterial flagella, 459
- Allosteric transition kinetics of aspartate transcarbamylase; chemical quench studies, 523
- AMICONI, G. (see also MENEGATTI, E.), 425
- ARNDT-JOVIN, D. J. (see also ZARLING, D. A.), 369
- ASAKURA, S. & HONDA, H., Two-state model for bacterial chemoreceptor proteins. The role of multiple methylation, 349
- ASCENZI, P. (see also MENEGATTI, E.), 425
- Aspartate transcarbamylase, kinetics of the allosteric transition; chemical quench studies, 523
- ATKINSON, P. H. (see also CECCARINI, C.), 161
- ATTARDI, G. (see also YANG, J. K.), 169
- AUSIO, J., SEGER, D. & EISENBERG, H., Nucleosome core particle stability and conformational change. Effect of temperature, particle and NaCl concentrations, and crosslinking of histone H3 sulphhydryl groups, 77
- Bacillus subtilis*, a promoter whose utilization is temporally regulated during sporulation, 333
- Bacterial chemoreceptor proteins, a two-state model; the role of multiple methylation, 349
- Bacteriophage T4, modulation of mutation rates by a base-pair change a dozen nucleotides removed, 239
- BARMAN, T. E. (see also KIHARA, H.), 523
- Base-pair change a dozen nucleotides removed modulates mutation rates in bacteriophage T4, 239
- BENNETT, P. M. (see also ELLIOTT, A.), 477
- BENTLEY, G. A., LEWIT-BENTLEY, A., FINCH, J. T., PODJARNY, A. D. & ROTH, M., Crystal structure of the nucleosome core particle at 16 Å resolution, 55
- BERENDSEN, H. J. C. (see also VAN GUNSTEREN, W. F.), 559
- Binding of the bovine basic pancreatic trypsin inhibitor (Kunitz) to human urinary kallikrein and to porcine pancreatic β -kallikreins A and B, 425
- BÖCK, H., ABLER, S., ZHANG, X.-Y., FRITTON, H. & IGO-KEMENES, T., Positioning of nucleosomes in satellite I-containing chromatin of rat liver, 131
- BOLOGNESI, M. (see also MENEGATTI, E.), 425
- BON, F., LEBRUN, E., GOMEL, J., VAN RAPENBUSCH, R., CARTAUD, J., POPOT, J.-L. & CHANGEUX, J.-P., Image analysis of the heavy form of the acetylcholine receptor from *Torpedo marmorata*, 205
- Bovine basic pancreatic trypsin inhibitor (Kunitz), binding to human urinary kallikrein and to porcine pancreatic β -kallikreins A and B, 425
- keratin genes, cell-type specific expression as demonstrated by the use of complementary DNA clones, 21
- platelet factor 4, X-ray diffraction analysis of crystals, 421
- BRODSKY, B. (see also EIKENBERRY, E. F.), 261
- BURGESS, R. R. (see also ROE, J.-H.), 495
- C family, rabbit, of short, interspersed repeats. Nucleotide sequence determination and transcriptional analysis, 1
- CALLAGHAN, T. (see also CHENG, J.-F.), 1
- CARTAUD, J. (see also BON, F.), 205
- CECCARINI, C., LORENZONI, P. & ATKINSON, P. H., Determination of the structure of ovalbumin glycopeptide AC-B by ^1H nuclear magnetic resonance spectroscopy at 500 MHz, 161
- Cell type-specific expression of bovine keratin genes as demonstrated by the use of complementary DNA clones, 21
- CHANGEUX, J.-P. (see also BON, F.), 205
- Chemical quench studies of the kinetics of the allosteric transition of aspartate transcarbamylase, 523
- Chemoreceptor proteins, bacterial, a two-state model; the role of multiple methylation, 349

- CHENG, J.-F., PRINTZ, R., CALLAGHAN, T., SHUEY, D. & HARDISON, R. C., The rabbit C family of short, interspersed repeats. Nucleotide sequence determination and transcriptional analysis, 1
- CHILDS, B. (see also EIKENBERRY, E. F.), 261
- Chromatin, satellite I-containing, of rat liver; positioning of nucleosomes, 131
- Chromosome, *Escherichia coli* K-12, sequence organization of replication origin, 443
- CIAGLOWSKI, R. E. (see also ST CHARLES, R.), 421
- CLEAVES, G. R. (see also DUBIN, D. T.), 251
- Clones, DNA, complementary, use in demonstration of cell-type specific expression of bovine keratin genes, 21
- Collagen, type II, in lamprey notochord sheath, crystalline fibril structure, 261
- Computer simulation as a tool for tracing the conformational differences between proteins in solution and in the crystalline state, 559
- Conformational change and stability of nucleosome core particles. Effect of temperature, particle and NaCl concentrations, and crosslinking of histone H3 sulfhydryl groups, 77
- differences between proteins in solution and in the crystalline state, determination by computer simulation, 559
- Conformations and sequences of synthetic and natural left-handed Z DNA, immunoglobulin recognition, 369
- COURT, D. (see also SCHMEISSNER, U.), 39
- CRAIG, A. S. (see also EIKENBERRY, E. F.), 261
- Crosslinking of histone H3 sulfhydryl groups, effect on nucleosome core particle stability and conformational change, 77
- Crystal structure of the nucleosome core particle at 16 Å resolution, 55
- Crystalline fibril structure of type II collagen in lamprey notochord sheath, 261
- state proteins and proteins in solution, computer simulation as a tool for tracing the conformational differences, 559
- dam* methylated and non-methylated *ori-C* plasmid, *in vitro* replication, 155
- DNA clones, complementary, use in demonstration of cell-type specific expression of bovine keratin genes, 21
- nucleases, commonly used, five; structural specificities, 535
- , satellite, mouse, the positioning of nucleosomes is in multiple highly specific frames that are correlated with a diverged subrepeat of nine base-pairs, 105
- , — I, rat liver; positioning of nucleosomes, 131
- , Z, left-handed synthetic and natural, immunoglobulin recognition of conformations and sequences, 369
- Dihydrofolate reductase, human, gene organization. Extensive conservation of the G+C-rich 5' non-coding sequence and strong intron size divergence from homologous mammalian genes, 169
- DRAKE, J. W. (see also SUGINO, A.), 239
- DREW, H. R., Structural specificities of five commonly used DNA nucleases, 535
- DUBIN, D. T., HSUCHEN, C.-C., CLEAVES, G. R. & TIMKO, K. D., Sequence and structure of a serine transfer RNA with GCU anticodon from mosquito mitochondria, 251
- EDWARDS, B. F. P. (see also ST CHARLES, R.), 421
- EIKENBERRY, E. F., CHILDS, B., SHEREN, S. B., PARRY, D. A. D., CRAIG, A. S. & BRODSKY, B., Crystalline fibril structure of type II collagen in lamprey notochord sheath, 261
- EISENBERG, H. (see also AUSIO, J.), 77
- ELLIOTT, A. & BENNETT, P. M., Molecular organization of paramyosin in the core of molluscan thick filaments, 477
- Escherichia coli* K-12 chromosome, sequence organization of replication origin, 443
- RNA polymerase interaction with the λP_R promoter; kinetics and mechanism, 495
- Evolution and organization of a gene cluster for human immunoglobulin variable regions of the kappa type, 189
- Expression, cell-type specific, of bovine keratin genes, as demonstrated by the use of complementary DNA clones, 21
- of *int* gene is regulated by the removal of a terminator structure by RNA processing, 39
- Fibril crystalline structure of type II collagen in lamprey notochord sheath, 261
- Filaments, thick, molluscan, molecular organization of paramyosin in the core, 477
- Filaments, thick, of various muscles; the repeat distance of myosin, 417
- FINCH, J. T. (see also BENTLEY, G. A.), 55

- 5' G+C-rich non-coding sequence conservation for homologous mammalian genes; human dihydrofolate reductase gene organization, 169
- 5' leader region of the *ompA* mRNA, role study, 431
- Flagella, halobacterial; morphology, function and isolation, 459
- FORTERRE, P. (see also HUGHES, P.), 155
- FRANKE, W. W. (see also JORCANO, J. L.), 21
- FRITTON, H. (see also BÖCK, H.), 131
- GCU anticodon serine tRNA from mosquito mitochondria, sequence and structure, 251
- G+C-rich 5' non-coding sequence conservation for homologous mammalian genes; human dihydrofolate reductase gene organization, 169
- Gene cluster for human immunoglobulin variable regions of the kappa type, organization and evolution, 189
- , *int*, expression is regulated by the removal of a terminator structure by RNA processing, 39
- organization, dihydrofolate reductase, human. Extensive conservation of the G+C-rich 5' non-coding sequence and strong size divergence from homologous mammalian genes, 169
- Genes, keratin, bovine, cell-type specific expression as demonstrated by the use of complementary DNA clones, 21
- Glycopeptide AC-B of ovalbumin, structure determination by ¹H n.m.r. spectroscopy at 500 MHz, 161
- GOMEL, J. (see also BON, F.), 205
- GREEN, P. J. & INOUE, M., Roles of the 5' leader region of the *ompA* mRNA, 431
- GUARNERI, M. (see also MENEGATTI, E.), 425
- Halobacterial flagella; morphology, function and isolation, 459
- HARDISON, R. C. (see also CHENG, J.-F.), 1
- HICKS, J. B. (see also ABRAHAM, J.), 307
- Histone H3 sulfhydryl group crosslinking, effect on nucleosome core particle stability and conformational change, 77
- HONDA, H. (see also ASAKURA, S.), 349
- HÖRZ, W. (see also ZHANG, X.-Y.), 105
- HOYLAND, J. (see also TREGGAR, R. T.), 417
- HSUCHEN, C.-C. (see also DUBIN, D. T.), 251
- HUGHES, P., SQUALI-HOUSSAINI, F.-Z., FORTERRE, P. & KOHIYAMA, M., *In vitro* replication of a *dam* methylated and non-methylated *ori-C* plasmid, 155
- Human dihydrofolate reductase gene organization. Extensive conservation of the G+C-rich 5' non-coding sequence and strong intron size divergence from homologous mammalian genes, 169
- immunoglobulin variable regions of the kappa type, organization and evolution of a gene cluster, 189
- urinary kallikrein, binding to bovine basic pancreatic trypsin inhibitor (Kunitz), 425
- ¹H n.m.r. spectroscopy at 500 MHz, use in determination of the structure of ovalbumin glycopeptide AC-B, 161
- IGO-KEMENES, T. (see also BÖCK, H.), 131
- Image analysis of the heavy form of the acetylcholine receptor from *Torpedo marmorata*, 205
- Immunoglobulin recognition of synthetic and natural left-handed Z DNA conformations and sequences, 369
- variable regions, human, of the kappa type, organization and evolution of a gene cluster, 189
- Information, mating-type, regulation in yeast. Negative control requiring sequences both 5' and 3' to the regulated region, 307
- INOUE, T. (see also JOYCE, G. F.), 279
- INOUE, M. (see also GREEN, P. J.), 431
- int* gene expression is regulated by the removal of a terminator structure by RNA processing, 39
- Intron size divergence from homologous mammalian genes; human dihydrofolate reductase gene organization, 169
- JAENICHEN, H.-R. (see also PECH, M.), 189
- JONES, P. T. (see also KIHARA, H.), 523
- JORCANO, J. L., MAGIN, T. M. & FRANKE, W. W., Cell type-specific expression of bovine keratin genes as demonstrated by the use of complementary DNA clones, 21
- JOVIN, T. M. (see also ZARLING, D. A.), 369

- JOYCE, G. F., INOUE, T. & ORGEL, L. E., Non-enzymatic template-directed synthesis on RNA random copolymers. Poly(C, U) templates, 279
- Kallikrein, urinary, human, binding to bovine basic pancreatic trypsin inhibitor (Kunitz), 425
- β -Kallikreins A and B, pancreatic, porcine, binding of the bovine basic pancreatic trypsin inhibitor (Kunitz), 425
- Keratin genes, bovine, cell-type specific expression as demonstrated by the use of complementary DNA clones, 21
- KIHARA, H., BARMAN, T. E., JONES, P. T. & MOODY, M. F., Kinetics of the allosteric transition of aspartate transcarbamylase. Chemical quench studies, 523
- Kinetics of the allosteric transition of aspartate transcarbamylase. Chemical quench studies, 523
- and mechanism of the interaction of *Escherichia coli* RNA polymerase with the λP_R promoter, 495
- KLAR, A. J. S. (see also ABRAHAM, J.), 307
- KLOBECK, H.-G. (see also PECH, M.), 189
- KOHIYAMA, M. (see also HUGHES, P.), 155
- λP_R promoter, kinetics and mechanism of the interaction with *Escherichia coli* RNA polymerase, 495
- Lamprey notochord sheath, crystalline fibril structure of type II collagen, 261
- LANG, N. (see also STEPHENS, M. A.), 333
- Leader region, 5', of the *ompA* mRNA, a role study, 431
- LEBRUN, E. (see also BON, F.), 205
- LEWIT-BENTLEY, A. (see also BENTLEY, G. A.), 55
- Liver, rat, positioning of nucleosomes in satellite I-containing chromatin, 131
- LORENZONI, P. (see also CECCARINI, C.), 161
- LOSICK, R. (see also STEPHENS, M. A.), 333
- McINTOSH, L. P. (see also ZARLING, D. A.), 369
- McKENNEY, K. (see also SCHMEISSNER, U.), 39
- MAGIN, T. M. (see also JORCANO, J. L.), 21
- MASTERS, J. N. (see also YANG, J. K.), 169
- Mating-type information regulation in yeast. Negative control requiring sequences both 5' and 3' to the regulated region, 307
- MENEGATTI, E., GUARNERI, M., BOLOGNESI, M., ASCENZI, P. & AMICONI, G., Binding of the bovine basic pancreatic trypsin inhibitor (Kunitz) to human urinary kallikrein and to porcine pancreatic β -kallikreins A and B, 425
- Messenger RNA, *ompA*, roles of the 5' leader region, 431
- Methylated, *dam*, and non-methylated *ori-C* plasmid, *in vitro* replication, 155
- Methylation, multiple, role in a two-state model for bacterial chemoreceptor proteins, 349
- Mitochondria, mosquito, sequence and structure of a serine tRNA with GCU anticodon, 251
- Molecular organization of paramyosin in the core of molluscan thick filaments, 477
- Molluscan thick filaments, molecular organization of core paramyosin, 477
- MOODY, M. F. (see also KIHARA, H.), 523
- Morphology, function and isolation of halobacterial flagella, 459
- Mosquito mitochondria, sequence and structure of a serine tRNA with GCU anticodon, 251
- Mouse satellite DNA, nucleosomes are positioned in multiple highly specific frames that are correlated with a diverged subrepeat of nine base-pairs, 105
- Muscles, various, the repeat distance of myosin in the thick filaments, 417
- Mutation rates in bacteriophage T4, modulation by a base-pair change a dozen nucleotides removed, 239
- Myosin repeat distance in the thick filaments of various muscles, 417
- NASMYTH, K. A. (see also ABRAHAM, J.), 307
- NEUMAIER, P. S. (see also PECH, M.), 189
- Notochord sheath, lamprey, crystalline fibril structures of type II collagen, 261
- Nucleases, DNA, commonly used, five; structural specificities, 535
- Nucleosome core particle, crystal structure at 16 Å resolution, 55
- — — stability and conformational change. Effect of temperature, particle and NaCl concentrations, and crosslinking of histone H3 sulfhydryl groups, 77
- positioning in satellite I-containing chromatin of rat liver, 131
- Nucleosomes are positioned on mouse satellite DNA in multiple highly specific frames that are correlated with a diverged subrepeat of nine base-pairs, 105

WALZ, D. (see also ST CHARLES, R.), 421

X-ray diffraction analysis of crystals of bovine platelet factor 4, 421

YANG, J. K., MASTERS, J. N. & ATTARDI, G., Human dihydrofolate reductase gene organization. Extensive conservation of the G+C-rich 5' non-coding sequence and strong intron size divergence from homologous mammalian genes, 169

Yeast, regulation of mating-type information; negative control requiring sequences both 5' and 3' to the regulated region, 307

Z DNA, left-handed, synthetic and natural, immunoglobulin recognition of conformations and sequences, 369

ZARLING, D. A., ARNDT-JOVIN, D. J., ROBERT-NICOUD, M., MCINTOSH, L. P., THOMAE, R. & JOVIN, T. M., Immunoglobulin recognition of synthetic and natural left-handed Z DNA conformations and sequences, 369

ZHANG, X.-Y. & HÖRZ, W., Nucleosomes are positioned on mouse satellite DNA in multiple highly specific frames that are correlated with a diverged subrepeat of nine base-pairs, 105

— (see also BÖCK, H.), 131